

Author Index

- Aloj, L., see Canipari, R. (1175) 1
- Antoine, M.-H., Hermann, M., Herchuelz, A. and Lebrun, P.
Sodium nitroprusside inhibits glucose-induced insulin release by activating ATP-sensitive K⁺ channels (1175) 293
- Arai, K.-i., see Tomoda, T. (1175) 333
- Ashcroft, F.M., see Ashcroft, S.J.H. (1175) 45
- Ashcroft, S.J.H. and Ashcroft, F.M.
The sulfonylurea receptor (1175) 45
- Azuma, Y., see Onishi, Y. (1175) 147
- Bagshaw, W.L., see Medley, Q.G. (1175) 7
- Baverel, G., see Martin, G. (1175) 161
- Baverel, G., see Vincent, N. (1175) 13
- Berényi, E., see Miseta, A. (1175) 133
- Bernard, F., see Blachier, F. (1175) 21
- Berry, M.N., see Henly, D.C. (1175) 269
- Bertel, O., see Suko, J. (1175) 193
- Bito, H., see Sakanaka, C. (1175) 61
- Blachier, F., M'Rabet-Touil, H., Posho, L., Morel, M.-T., Bernard, F., Darcy-Vrillon, B. and Duée, P.-H.
Polyamine metabolism in enterocytes isolated from newborn pigs (1175) 21
- Bogner, P., see Miseta, A. (1175) 133
- Bogoyevitch, M.A., see Sugden, P.H. (1175) 327
- Boonen, G.J.J.C., VanSteveninck, J. and Elferink, J.G.R.
Strontium and barium induce exocytosis in electroporated neutrophils (1175) 155
- Boukhzer, E., Ennya, A., Felden, F., Gérard, A., Nexø, E., Nicolas, J.P., Gérard, H. and Guéant, J.L.
Transcobalamin II - cobalamin binding sites are present on rabbit germ cells (1175) 128
- Burkey, T.H. and Webster, R.O.
Adenosine inhibits fMLP-stimulated adherence and superoxide anion generation by human neutrophils at an early step in signal transduction (1175) 312
- Cabero, J.L., see Li, Z.-Q. (1175) 250
- Cali, G., see Canipari, R. (1175) 1
- Callaghan, R., Stafford, A. and Epan, R.M.
Increased accumulation of drugs in a multidrug resistant cell line by alteration of membrane biophysical properties (1175) 277
- Cameron, I.L., see Miseta, A. (1175) 133
- Canipari, R., Zurzolo, C., Polistina, C., Garbi, C., Aloj, L., Cali, G., Gentile, R. and Nitsch, L.
Polarized secretion of plasminogen activators by epithelial cell monolayers (1175) 1
- Castagna, M., see Huang, X.P. (1175) 351
- Chang, Y.-L., see Ko, F.-N. (1175) 225
- Chen, I.-S., see Ko, F.-N. (1175) 225
- Chung, C.H., see Kwak, K.B. (1175) 243
- Chung, S.S., see Kwak, K.B. (1175) 243
- Combet, J., see Martin, G. (1175) 161
- Côté, G.P., see Medley, Q.G. (1175) 7
- Darcy-Vrillon, B., see Blachier, F. (1175) 21
- De Grada, L., see Ferraretto, A. (1175) 283
- Detimary, P., see Drews, G. (1175) 214
- Doyle, C.A., see Nielsen, H.C. (1175) 95
- Drews, G., Detimary, P. and Henquin, J.-C.
Non-additivity of adrenaline and galanin effects on ⁸⁶Rb efflux and membrane potential in mouse B-cells suggests sharing of common targets (1175) 214
- D'souza, A., Hinduja, I.N. and Puri, C.P.
Antiprogesterin ZK-98.299 and progesterone display differential binding characteristics in the human myometrial cytosol (1175) 73
- Duan, Y.-J., see Miwa, I. (1175) 174
- Duée, P.-H., see Blachier, F. (1175) 21
- Dufault, S.N., see Johnson, W.T. (1175) 263
- Elferink, J.G.R., see Boonen, G.J.J.C. (1175) 155
- English, D., see Taylor, G.S. (1175) 219
- Ennya, A., see Boukhzer, E. (1175) 128
- Epan, R.M., see Callaghan, R. (1175) 277
- Fan, X.T., see Huang, X.P. (1175) 351
- Felden, F., see Boukhzer, E. (1175) 128
- Fernandes, P.L., see Ferreira, K.T.G. (1175) 27
- Ferraretto, A., Negri, A., Giuliani, A., De Grada, L., Fuhrman Conti, A.M. and Ronchi, S.
Aldose reductase is involved in long-term adaptation of EUE cells to hyperosmotic stress (1175) 283
- Ferreira, H.G., see Ferreira, K.T.G. (1175) 27
- Ferreira, K.T.G., Fernandes, P.L. and Ferreira, H.G.
Ion transport across the epithelium of the rabbit caecum (1175) 27
- Frucht, H., see Wang, L.-H. (1175) 232
- Fuhrman Conti, A.M., see Ferraretto, A. (1175) 283
- Fukatsu, H., see Miwa, I. (1175) 174
- Fuller, S.J., see Sugden, P.H. (1175) 327
- Galambos, C., see Miseta, A. (1175) 133
- Garbi, C., see Canipari, R. (1175) 1
- Geddis, L.M., see Kutchai, H. (1175) 140
- Gentile, R., see Canipari, R. (1175) 1
- Gérard, A., see Boukhzer, E. (1175) 128
- Gérard, H., see Boukhzer, E. (1175) 128
- Giuliani, A., see Ferraretto, A. (1175) 283
- Goto, S., see Kato, K. (1175) 257
- Greene, B., see Taylor, G.S. (1175) 219
- Guéant, J.L., see Boukhzer, E. (1175) 128
- Ha, D.B., see Kwak, K.B. (1175) 243
- Hallett, M.B., see Lloyds, D. (1175) 207
- Hasegawa, K., see Kato, K. (1175) 257
- Hatchett, IV, R.J., see Sugden, P.H. (1175) 327
- Hayashi, Y., see Negishi, M. (1175) 343
- Hellmann, G., see Suko, J. (1175) 193
- Henly, D.C. and Berry, M.N.
Effect of palmitate concentration on the relative contributions of the β -oxidation pathway and citric acid cycle to total O₂ consumption of isolated rat hepatocytes (1175) 269
- Henquin, J.-C., see Drews, G. (1175) 214

Author Index

- Aloj, L., see Canipari, R. (1175) 1
- Antoine, M.-H., Hermann, M., Herchuelz, A. and Lebrun, P.
Sodium nitroprusside inhibits glucose-induced insulin release by activating ATP-sensitive K^+ channels (1175) 293
- Arai, K.-i., see Tomoda, T. (1175) 333
- Ashcroft, F.M., see Ashcroft, S.J.H. (1175) 45
- Ashcroft, S.J.H. and Ashcroft, F.M.
The sulfonylurea receptor (1175) 45
- Azuma, Y., see Onishi, Y. (1175) 147
- Bagshaw, W.L., see Medley, Q.G. (1175) 7
- Baverel, G., see Martin, G. (1175) 161
- Baverel, G., see Vincent, N. (1175) 13
- Berényi, E., see Miseta, A. (1175) 133
- Bernard, F., see Blachier, F. (1175) 21
- Berry, M.N., see Henly, D.C. (1175) 269
- Bertel, O., see Suko, J. (1175) 193
- Bito, H., see Sakanaka, C. (1175) 61
- Blachier, F., M'Rabet-Touil, H., Posho, L., Morel, M.-T., Bernard, F., Darcy-Vrillon, B. and Duée, P.-H.
Polyamine metabolism in enterocytes isolated from newborn pigs (1175) 21
- Bogner, P., see Miseta, A. (1175) 133
- Bogoyevitch, M.A., see Sugden, P.H. (1175) 327
- Boonen, G.J.J.C., VanSteveninck, J. and Elferink, J.G.R.
Strontium and barium induce exocytosis in electroporated neutrophils (1175) 155
- Boukhzer, E., Ennya, A., Felden, F., Gérard, A., Nexø, E., Nicolas, J.P., Gérard, H. and Guéant, J.L.
Transcobalamin II - cobalamin binding sites are present on rabbit germ cells (1175) 128
- Burkey, T.H. and Webster, R.O.
Adenosine inhibits fMLP-stimulated adherence and superoxide anion generation by human neutrophils at an early step in signal transduction (1175) 312
- Cabero, J.L., see Li, Z.-Q. (1175) 250
- Cali, G., see Canipari, R. (1175) 1
- Callaghan, R., Stafford, A. and Epan, R.M.
Increased accumulation of drugs in a multidrug resistant cell line by alteration of membrane biophysical properties (1175) 277
- Cameron, I.L., see Miseta, A. (1175) 133
- Canipari, R., Zurzolo, C., Polistina, C., Garbi, C., Aloj, L., Cali, G., Gentile, R. and Nitsch, L.
Polarized secretion of plasminogen activators by epithelial cell monolayers (1175) 1
- Castagna, M., see Huang, X.P. (1175) 351
- Chang, Y.-L., see Ko, F.-N. (1175) 225
- Chen, I.-S., see Ko, F.-N. (1175) 225
- Chung, C.H., see Kwak, K.B. (1175) 243
- Chung, S.S., see Kwak, K.B. (1175) 243
- Combet, J., see Martin, G. (1175) 161
- Côté, G.P., see Medley, Q.G. (1175) 7
- Darcy-Vrillon, B., see Blachier, F. (1175) 21
- De Grada, L., see Ferraretto, A. (1175) 283
- Detimary, P., see Drews, G. (1175) 214
- Doyle, C.A., see Nielsen, H.C. (1175) 95
- Drews, G., Detimary, P. and Henquin, J.-C.
Non-additivity of adrenaline and galanin effects on ^{86}Rb efflux and membrane potential in mouse B-cells suggests sharing of common targets (1175) 214
- D'souza, A., Hinduja, I.N. and Puri, C.P.
Antiprogesterin ZK-98.299 and progesterone display differential binding characteristics in the human myometrial cytosol (1175) 73
- Duan, Y.-J., see Miwa, I. (1175) 174
- Duée, P.-H., see Blachier, F. (1175) 21
- Dufault, S.N., see Johnson, W.T. (1175) 263
- Elferink, J.G.R., see Boonen, G.J.J.C. (1175) 155
- English, D., see Taylor, G.S. (1175) 219
- Ennya, A., see Boukhzer, E. (1175) 128
- Epan, R.M., see Callaghan, R. (1175) 277
- Fan, X.T., see Huang, X.P. (1175) 351
- Felden, F., see Boukhzer, E. (1175) 128
- Fernandes, P.L., see Ferreira, K.T.G. (1175) 27
- Ferraretto, A., Negri, A., Giuliani, A., De Grada, L., Fuhrman Conti, A.M. and Ronchi, S.
Aldose reductase is involved in long-term adaptation of EUE cells to hyperosmotic stress (1175) 283
- Ferreira, H.G., see Ferreira, K.T.G. (1175) 27
- Ferreira, K.T.G., Fernandes, P.L. and Ferreira, H.G.
Ion transport across the epithelium of the rabbit caecum (1175) 27
- Frucht, H., see Wang, L.-H. (1175) 232
- Fuhrman Conti, A.M., see Ferraretto, A. (1175) 283
- Fukatsu, H., see Miwa, I. (1175) 174
- Fuller, S.J., see Sugden, P.H. (1175) 327
- Galambos, C., see Miseta, A. (1175) 133
- Garbi, C., see Canipari, R. (1175) 1
- Geddis, L.M., see Kutchai, H. (1175) 140
- Gentile, R., see Canipari, R. (1175) 1
- Gérard, A., see Boukhzer, E. (1175) 128
- Gérard, H., see Boukhzer, E. (1175) 128
- Giuliani, A., see Ferraretto, A. (1175) 283
- Goto, S., see Kato, K. (1175) 257
- Greene, B., see Taylor, G.S. (1175) 219
- Guéant, J.L., see Boukhzer, E. (1175) 128
- Ha, D.B., see Kwak, K.B. (1175) 243
- Hallett, M.B., see Lloyds, D. (1175) 207
- Hasegawa, K., see Kato, K. (1175) 257
- Hatchett, IV, R.J., see Sugden, P.H. (1175) 327
- Hayashi, Y., see Negishi, M. (1175) 343
- Hellmann, G., see Suko, J. (1175) 193
- Henly, D.C. and Berry, M.N.
Effect of palmitate concentration on the relative contributions of the β -oxidation pathway and citric acid cycle to total O_2 consumption of isolated rat hepatocytes (1175) 269
- Henquin, J.-C., see Drews, G. (1175) 214

- Herchuelz, A., see Antoine, M.-H. (1175) 293
- Hermann, M., see Antoine, M.-H. (1175) 293
- Hidaka, M., see Ogawara, H. (1175) 289
- Higashi, K., see Ogawara, H. (1175) 289
- Hinduja, I.N., see D'souza, A. (1175) 73
- Hisahi-Ishii, , see Ko, F.-N. (1175) 225
- Hohenegger, M., see Suko, J. (1175) 193
- Honda, A., see Negishi, M. (1175) 343
- Honda, Z.-i., see Sakanaka, C. (1175) 61
- Horie, S., see Ishii, H. (1175) 37
- Huang, L.L., Jahngen-Hodge, J. and Taylor, A.
Bovine lens epithelial cells have a ubiquitin-dependent proteolysis system (1175) 181
- Huang, T.-F., see Ko, F.-N. (1175) 225
- Huang, X.P., Silva, C.D., Fan, X.T. and Castagna, M.
Characteristics of arachidonic-acid-mediated brain protein kinase C activation: evidence for concentration-dependent heterogeneity (1175) 351
- Ichikawa, A., see Negishi, M. (1175) 343
- Inaguma, Y., see Kato, K. (1175) 257
- Ishii, H., Suzuki, Y., Horie, S., Nakagawa, M. and Kazama, M.
Participation of calpain I activation in the ATP release reaction of platelets stimulated with thrombin (1175) 37
- Izumi, T., see Sakanaka, C. (1175) 61
- Jahngen-Hodge, J., see Huang, L.L. (1175) 181
- James, J.E., see Taylor, G.S. (1175) 219
- Jensen, R.T., see Wang, L.-H. (1175) 232
- Johnson, W.T. and Dufault, S.N.
Intracellular calcium mobilization in rat platelets is adversely affected by copper deficiency (1175) 263
- Jones, P.M., see Ratcliff, H. (1175) 188
- Kanaoka, Y., see Nakayama, H. (1175) 67
- Kang, M.-S., see Kwak, K.B. (1175) 243
- Kato, H., see Ogawara, H. (1175) 289
- Kato, K., Goto, S., Hasegawa, K., Shinohara, H. and Inaguma, Y.
Responses to heat shock of α B crystallin and HSP28 in U373 MG human glioma cells (1175) 257
- Kawabe, J.-i., Ohsaki, Y. and Onodera, S.
Down-regulation of protein kinase C potentiates atrial natriuretic peptide-stimulated cGMP accumulation in vascular smooth-muscle cells (1175) 81
- Kazama, M., see Ishii, H. (1175) 37
- Kellermayer, M., see Miseta, A. (1175) 133
- Kellogg, C.K., see Nielsen, H.C. (1175) 95
- Kim, O.-M., see Kwak, K.B. (1175) 243
- Kiss, Z.
Cooperative effects of ethanol and protein kinase C activators on phospholipase-D-mediated hydrolysis of phosphatidylethanolamine in NIH 3T3 fibroblasts (1175) 88
- Kizaki, H., see Onishi, Y. (1175) 147
- Ko, F.-N., Yu, S.-M., Chen, I.-S., Hisahi-Ishii, , Chang, Y.-L., Huang, T.-F. and Teng, C.-M.
CIS-19, a novel platelet activating factor receptor antagonist: in vitro and in vivo studies (1175) 225
- Koike, T., see Tanaka, S. (1175) 114
- Kutchai, H., Geddis, L.M. and Otero, A.S.
Identification of heterotrimeric and low molecular weight GTP-binding proteins in rabbit skeletal muscle longitudinal sarcoplasmic reticulum (1175) 140
- Kwak, K.B., Chung, S.S., Kim, O.-M., Kang, M.-S., Ha, D.B. and Chung, C.H.
Increase in the level of m-calpain correlates with the elevated cleavage of filamin during myogenic differentiation of embryonic muscle cells (1175) 243
- Ladd, A., see Taylor, G.S. (1175) 219
- Lebrun, P., see Antoine, M.-H. (1175) 293
- Levy, E., see Loirdighi, N. (1175) 100
- Li, Z.-Q., Cabero, J.L., Nilsson, B.O. and Mårdh, S.
Direct gastrin action on isolated rat parietal cells induces morphological transformations (1175) 250
- Lin, J.-T., see Wang, L.-H. (1175) 232
- Lloyds, D. and Hallett, M.B.
Activation and priming of the human neutrophil oxidase response by substance P: distinct signal transduction pathways (1175) 207
- Loirdighi, N., Ménard, D. and Levy, E.
Insulin decreases chylomicron production in human fetal small intestine (1175) 100
- Louis, C.F., see Strand, M.A. (1175) 319
- Maeda, N., see White, A.M. (1175) 307
- Manita, S., see Ogawara, H. (1175) 289
- Mantey, S.A., see Wang, L.-H. (1175) 232
- Mårdh, S., see Li, Z.-Q. (1175) 250
- Martel-Pelletier, J., McCollum, R. and Pelletier, J.-P.
The synthesis of IL-1 receptor antagonist (IL-1ra) by synovial fibroblasts is markedly increased by the cytokines TNF- α and IL-1 (1175) 302
- Martin, G., see Vincent, N. (1175) 13
- Martin, G., Vincent, N., Combet, J. and Baverel, G.
A simple model for alanine metabolism in isolated rat hepatocytes (1175) 161
- Maurer-Fogy, I., see Suko, J. (1175) 193
- McCollum, R., see Martel-Pelletier, J. (1175) 302
- Medley, Q.G., Bagshaw, W.L., Truong, T. and Côté, G.P.
Dictyostelium myosin II heavy-chain kinase A is activated by heparin, DNA and acidic phospholipids and inhibited by polylysine, polyarginine and histones (1175) 7
- Ménard, D., see Loirdighi, N. (1175) 100
- Mickelson, J.R., see Strand, M.A. (1175) 319
- Mikoshiha, K., see White, A.M. (1175) 307
- Minami, M., see Sakanaka, C. (1175) 61
- Miseta, A., Bogner, P., Berényi, E., Kellermayer, M., Galambos, C., Wheatley, D.N. and Cameron, I.L.
Relationship between cellular ATP, potassium, sodium and magnesium concentrations in mammalian and avian erythrocytes (1175) 133
- Miwa, I., Duan, Y.-J., Murase, S., Fukatsu, H., Tamura, A. and Okuda, J.
Stimulatory effect of phospholipase A₂ treatment on glucose utilization in human erythrocytes (1175) 174
- Mizuno, Y., see Onishi, Y. (1175) 147
- Morel, M.-T., see Blachier, F. (1175) 21
- M'Rabet-Touil, H., see Blachier, F. (1175) 21
- Muramatsu, M.-a., see Tomoda, T. (1175) 333
- Murase, S., see Miwa, I. (1175) 174
- Murata, T., see Tomoda, T. (1175) 333
- Mutoh, H., see Sakanaka, C. (1175) 61
- Mynett, J.R., see Sugden, P.H. (1175) 327
- Nakagawa, M., see Ishii, H. (1175) 37
- Nakamura, M., see Sakanaka, C. (1175) 61
- Nakayama, H., Shikano, H. and Kanaoka, Y.
A site-directed antibody that inhibits phosphorylation of the rat-brain sodium channel by cyclic-AMP-dependent protein kinase (1175) 67
- Namba, T., see Negishi, M. (1175) 343
- Narumiya, S., see Negishi, M. (1175) 343
- Negishi, M., Sugimoto, Y., Hayashi, Y., Namba, T., Honda, A., Watabe, A., Narumiya, S. and Ichikawa, A.
Functional interaction of prostaglandin E receptor EP₃ subtype with guanine nucleotide-binding proteins, showing low-affinity ligand binding (1175) 343

- Negri, A., see Ferrareto, A. (1175) 283
 Nexø, E., see Boukhzer, E. (1175) 128
 Nicolas, J.P., see Boukhzer, E. (1175) 128
 Nielsen, H.C., Kellogg, C.K. and Doyle, C.A.
 Development of fibroblast-type-II cell communications in fetal rabbit lung organ culture (1175) 95
 Nilsson, B.O., see Li, Z.-Q. (1175) 250
 Nitsch, L., see Canipari, R. (1175) 1
- Ogawara, H., Higashi, K., Manita, S., Hidaka, M., Kato, H. and Takenawa, T.
 An inhibitor of inositol-phospholipid-specific phospholipase C (1175) 289
 Ohsaki, Y., see Kawabe, J.-i. (1175) 81
 Okuda, J., see Miwa, I. (1175) 174
 Onishi, Y., Azuma, Y., Sato, Y., Mizuno, Y., Tadakuma, T. and Kizaki, H.
 Topoisomerase inhibitors induce apoptosis in thymocytes (1175) 147
 Onodera, S., see Kawabe, J.-i. (1175) 81
 Otero, A.S., see Kutchai, H. (1175) 140
- Pelletier, J.-P., see Martel-Pelletier, J. (1175) 302
 Plank, B., see Suko, J. (1175) 193
 Polistina, C., see Canipari, R. (1175) 1
 Posho, L., see Blachier, F. (1175) 21
 Pralong, W.-F., see Rutter, G.A. (1175) 107
 Puri, C.P., see D'souza, A. (1175) 73
- Ratcliff, H. and Jones, P.M.
 Effects of okadaic acid on insulin secretion from rat islets of Langerhans (1175) 188
 Ronchi, S., see Ferrareto, A. (1175) 283
 Rutter, G.A., Pralong, W.-F. and Wollheim, C.B.
 Regulation of mitochondrial glycerol-phosphate dehydrogenase by Ca^{2+} within electroporated insulin-secreting cells (INS-1) (1175) 107
- Sakanaka, C., Izumi, T., Nakamura, M., Honda, Z.-i., Watanabe, T., Minami, M., Mutoh, H., Bito, H., Seyama, Y., Ui, M. and Shimizu, T.
 Three types of $\text{G}\alpha$ protein of the guinea-pig lung: cDNA cloning and analysis of their tissue distribution (1175) 61
 Sato, Y., see Onishi, Y. (1175) 147
 Seyama, Y., see Sakanaka, C. (1175) 61
 Shikano, H., see Nakayama, H. (1175) 67
 Shima, S.
 Effects of androgen on α - and β -adrenergic receptors in membranes from the rat seminal vesicle (1175) 123
 Shimizu, T., see Sakanaka, C. (1175) 61
 Shinohara, H., see Kato, K. (1175) 257
 Silva, C.D., see Huang, X.P. (1175) 351
 Stafford, A., see Callaghan, R. (1175) 277
 Strand, M.A., Louis, C.F. and Mickelson, J.R.
 Phosphorylation of the porcine skeletal and cardiac muscle sarcoplasmic reticulum ryanodine receptor (1175) 319
 Sugden, M.C., see Sugden, P.H. (1175) 327
- Sugden, P.H., Fuller, S.J., Mynett, J.R., Hatchett, IV, R.J., Bogoyevitch, M.A. and Sugden, M.C.
 Stimulation of adult rat ventricular myocyte protein synthesis and phosphoinositide hydrolysis by the endothelins (1175) 327
 Sugimoto, Y., see Negishi, M. (1175) 343
 Suko, J., Maurer-Fogy, I., Plank, B., Bertel, O., Wyskovsky, W., Hohenegger, M. and Hellmann, G.
 Phosphorylation of serine 2843 in ryanodine receptor-calcium release channel of skeletal muscle by cAMP-, cGMP- and CaM-dependent protein kinase (1175) 193
 Suzuki, Y., see Ishii, H. (1175) 37
- Tadakuma, T., see Onishi, Y. (1175) 147
 Takenawa, T., see Ogawara, H. (1175) 289
 Tamura, A., see Miwa, I. (1175) 174
 Tanaka, S. and Koike, T.
 Caffeine promotes survival of cultured sympathetic neurons deprived of nerve growth factor through a cAMP-dependent mechanism (1175) 114
 Taylor, A., see Huang, L.L. (1175) 181
 Taylor, G.S., Ladd, A., James, J.E., Greene, B. and English, D.
 Characterization of phosphatidic acid phosphohydrolase in neutrophil subcellular fractions (1175) 219
 Teng, C.-M., see Ko, F.-N. (1175) 225
 Tomoda, T., Murata, T., Arai, K.-i. and Muramatsu, M.-a.
 Mutations on ^{170}Glu , a substrate recognition residue in mouse cAMP-dependent protein kinase, generate enzymes with altered substrate affinity and biological functions (1175) 333
 Truong, T., see Medley, Q.G. (1175) 7
- Ui, M., see Sakanaka, C. (1175) 61
- VanSteveninck, J., see Boonen, G.J.J.C. (1175) 155
 Varney, M.A., see White, A.M. (1175) 307
 Vincent, N., Martin, G. and Baverel, G.
 Glycine, a new regulator of glutamine metabolism in isolated rat-liver cells (1175) 13
 Vincent, N., see Martin, G. (1175) 161
- Wang, L.-H., Mantey, S.A., Lin, J.-T., Frucht, H. and Jensen, R.T.
 Ligand binding, internalization, degradation and regulation by guanine nucleotides of bombesin receptor subtypes: a comparative study (1175) 232
 Watabe, A., see Negishi, M. (1175) 343
 Watanabe, T., see Sakanaka, C. (1175) 61
 Watson, S.P., see White, A.M. (1175) 307
 Webster, R.O., see Burkey, T.H. (1175) 312
 Wheatley, D.N., see Miseta, A. (1175) 133
 White, A.M., Varney, M.A., Maeda, N., Mikoshiba, K. and Watson, S.P.
 Comparison of $\text{Ins}(1,4,5)\text{P}_3$ receptors from rat cerebellum and bovine adrenal cortex (1175) 307
 Wollheim, C.B., see Rutter, G.A. (1175) 107
 Wyskovsky, W., see Suko, J. (1175) 193
- Yu, S.-M., see Ko, F.-N. (1175) 225
 Zurzolo, C., see Canipari, R. (1175) 1

